






Product Certifications



Τυν



CE



ETL



RoHS



UL

IEC Testing Report



Other Certifications

literask	Earth Annual Control of Control o	Intertek	Intertek
	Total State Total State Description Person Person	Terrange Marrier Marrier	Laboratoria de la construir de
The free figure 1 (err) is unit in section 2 and a section. In a 11 minute sequence of the section 2 and a section 2 and	Several (2000) March (2000)	Jang Yang Sang Sang Sang Sang Sang Sang Sang S	And here been and here here here here here here here her

Other Testing Reports

We leverage our expertise to provide the highest quality **OEM** & **ODM** services that covers a complete spectrum of the product lifecycle from concept to design, manufacturing and after-market services. The goal of our **OEM/ODM** services is to help our clients succeed in today's ever changing and extremely competitive markets.

Exertite 5350 - Page 1 of SI-	Reportion Electronication -Page Longo	Paper No.: ETGOTTRETIGETE -Page 1 of EL-	Associate associ
TEST REPORT IEC 6008-1 Information technology equipment - Safety Part 1: General requirements	TOST REPORT BECARDEA Information technology equipment - Safety Part 1: General requirements	1957 NDPORT Information technology equipment – Safet Part 1: General requirements	TEST REPORT EC 4866-1 Information technology equipment – Sefety – Part 1: General requirements
- 012079013000 	Apport Rumber	Bayed Randan 010070010011 Bate of Imme 500, 17,3210 Table number of pages 01 pages	Papert Namber - W NOTWINGT Date of Issue - O pages - O pages
	Tasket to (- signaland Task to (- signaland Task to)	Testaday - spectral - See Trajeror -	Yand Chi in agentural And Things
and international and a second	Approach to regulated Tableau Lander	Complete to (= signalized) Non-source Non-sourc	Comparing to a spectral and the second secon
ay Name - Strendor New Taxing Service (s. 10)	Testing Laboratory Same	Factorial Spaticy Street	
 Bir, Bukking BL, Kiniteng Bukking, Gerginel & Haanglan Connunity, Hangchang Small, Ba Gaangdong, China 	Address SV, Busing SJ, Kristerg Busing, Gargine III Hangdan Comunity, Hangshang Street, Bath Garaging, China	Advess	Verting Lateratory Name
I MENEROV BIND-AWOO MPORT & EXPORT	Applicative range	Applicant's same / MCN2HOU SHO ARROD SHOTT & \$2008	Appleants wante / Which the Amon where a cancer one
Distance of A Cong	Address Ad Building, Buts Industrial Zone, Yanging Oliji, Xabilar, P.R. Group	Address Adducting, State Including City 2018/14 P.R. Chine	Address Address Sciences 2000 P. Constantial Zone, Younging City, 2higang Provinces
24EA480 SNO ELECTRO-TECHNO 00.5	Bandatum's same	Manufacturer's name	Manufacturer's name / 245,0000 END FLACTED TECHNIC CO. LTD
- AD Building, Selv-Indeamer Zone, Nuesing CB ISSBER, P.R. China	Addees	Address All Robins, But Industrial Zone, Humping Cit, Science, File, Change	Address
- RC 8080 1 200-01 200-02 201	Test aper/Radius	Test specification:	Test specification
- B. BREIT AND THE AND THE AND THE AND	Banderd	Randeti	Blandard
- 10	Test providere #IC 6006.1	Test procedure EC 8080-1	Test procedure NC 8080-1
	Renateried instructure UVS	Non-standard last method	
1 USB Hurger	Tasi ken description	Teal fam description	
- BHONBROO	Taske Bark	Trade Name I ENCANICO	Trade Bull / BNOHBOD
A CONTRACT OF	BodalTige oferers	WoderType wherease / \$15.6162.02.03	Model?Type reference
Comp for TTT 2 14	Ratings	Ratings	\$15.490P73x0.6098, \$75.490P73x93980
colleging and the first	Chalped 2829-194, EV TWO 2 Ver(288)	Ougust associates and an and associate	Ratings
and the second sec	Deneral decisioner The spatial only for applicant are Jay opping the spatial offer any other party or at	Central disclaiment	
Independent offen of the second second second second and any second sec	The spacetic is the dependence on the sprace because in the spectra of the spectr	The reports only for gatefaction and you sampling the meet full-any state gatefaction and in the second on the second on the second on the second on the second on the period on the second on the period on the second on the period on the second on the second on the second of the second on the second on the period on the second on the second on the second of the second of the second of the second of the second on the period on the second on the second on the second of	Secure document The security on the sequences of the control the security the control security of the security of the sequences of the sequences of the security of the security of the security of the security of the sequences of the security of the sequences of the security of the
Becker Roy Turker	week hoy hit Deschard Bay Tachana	www.kety.las Dearchan.ikus Tachard	www.htm the Description from San Description From the Last



CONTENTS **Desktop Sockets**

STP SERIES SURFACE	E MOI	JNT P
STP-2 Series	07	
SMT SERIES MOTORIZ	ZED F	OP UI
SMT-4 Series	11	
STS SERIES DESKTO	P BO>	<es< td=""></es<>
STS-4D Series	15	STS
STS-R90-2 Series	18	STS
STS-SC01-Qi Series	22	STS
STS-ST60 Series	25	STS
STS-250 Series	27	STS
STS-202 Series	28	STS
STS-150D Series	29	STS
STS-220 Series	30	
STC SERIES USB TAB	LE CH	HARGE
STC-1 Series	34	STC
STC-4 Series	38	STC
STS-6 Series	41	
SCD SERIES UNDER D)ESK	SPINA
SCD-1 Series	43	SCD
SCD-3 Series	44	

www.sinoamigo.com

*Product images are for illustrative purposes only and may differ from the actual product.

IT POP-UP OUTLET 03

UP UNIT		09
		13
S-R90-1 Series	16	
S-R90-3 Series	20	
S-HG60 Series	23	
S-C60 Series	26	
S-212 Series	27	
S-207 Series	28	
S-120 Series	30	
GER		31
C-2 Series	36	
C-5 Series	39	
	00	
IAL CABLE DU	СТ	42
CD-2 Series	43	

SURFACE MOUNT POP-UP OUTLET

Suitable for installation within:

Features

Meeting Rooms

....

Office























reddot winner 2022 product design



STP SERIES SURFACE MOUNT POP-UP OUTLET

offices and maximize your space.

Red Dot award winning STP-2 surface mount pop-up outlet is a contemporary and minimalist pop-up outlet with an ultra-slim profile and excellent aesthetic appeal,

designed to provide power and connectivity solution for various appliances to keep a

sleek kitchen design and a clutter-free workspace. They are particularly useful for kitchen countertops and under cabinets where wall space is at a premium or clean

Our patented structure adopts a "Human-Centered Design" concept, with user's







Incorporates a cylindrical shape construction with sleek and durable anodized aluminum alloy enclosure and matte finish flame retardant PC panel, ensuring a longer product lifespan.



 15W Qi-wireless charging top lets you charge smartphones and other compatible devices quickly and efficiently, to offer versatile functionality.

 The cover panel in fully retracted position, lies nearly flush with the worktop, making it blend in with the surrounding environment. Supports wireless charging in both elevated and retracted position.



 Built-in Bluetooth speaker can be paired with compatible devices to stream music, podcasts, or even audiobooks, to give users the consistent experience they demand in their entertainment and work.* *Available upon request

SURFACE MOUNT POP-UP OUTLET

Features



Features

Features

Features



Equipped with dedicated inlets on the inlet.



bottom cover to accommodate specific configuration such as ethernet jacks, HDMI interface as well as IEC power



 Easily accessible to fast charge smartphones and tablets using the 30W USB-C (PD) & USB-A (QC 3.0) charger outlet, when elevated.* *Available upon request

It can also be mounted under cabinet

being too obtrusive.

where clean kitchen countertop space is

preferred, to provide convenience without



Features an overload protection switch, to give user extra peace of

gets the right amount of power.

mind whilst ensuring that the device

Encompasses an ultra-slim collar ring with 1.2mm thickness for a streamlined integration while contributing to the aesthetic beauty of the worktop.



Supplied with 1.8m pre-wired power cord.



 Enjoy watching cooking recipes, reading notifications or even video calling on your tablet in the kitchen, without having to worry about running out of battery power.



Simply press and pull up the unit in a smooth motion to effortlessly access the outlets.



Under-desk cable management to keep all the cables grouped together (not included).





 Minimalist design and ingenious vertical pop-up feature, effectively manages cables and wires to reduce clutter and maximizes your space to enjoy a more organized and productive workstation.



SURFACE MOUNT POP-UP OUTLET

 Allow users to plug multiple appliances conveniently at the same time without the need for stretching cables, unlike traditional sockets.



 Space-saving and safer alternative to traditional plug sockets and extension strips for your kitchen or any room with limited space or wall sockets.

 Water, dust, and oil-resistance preserves functionality and appearance, while ensuring user's safety.

SURFACE MOUNT POP-UP OUTLET

STP-2 Series



STP-2AB-1Qi





STP-2AB-2Qi



STP-2AB-3Qi

STP-2AB-4Qi

Model	Surface Panel Material	Module Capacity	Cutout(mm)
STP-2AB-1Qi	Tempered glass	2	Ø95
STP-2AB-2Qi	Tempered glass	4	Ø95
STP-2AB-3Qi	Tempered glass	6	Ø95
STP-2AB-4Qi	Tempered glass	8	Ø95
STP-2AB-5Qi	Tempered glass	10	Ø95

Black tempered glass top cover / black enclosure / black 304 stainless steel collar ring / black finish modules





STP-2BS-2Qi



STP-2BS-4Qi

Model	Surface Panel Material	Module Capacity	Cutout(mm)
STP-2BS-1Qi	Tempered glass	2	Ø95
STP-2BS-2Qi	Tempered glass	4	Ø95
STP-2BS-3Qi	Tempered glass	6	Ø95
STP-2BS-4Qi	Tempered glass	8	Ø95
STP-2BS-5Qi	Tempered glass	10	Ø95

Black tempered glass top cover / silver enclosure / silver 304 stainless steel collar ring / black finish modules

Features


Wireless charging: Output 15W max

Equipped with overload protection switch

Power cable length: 1.8 meters (Customizable)


Approval: CE, UKCA, RoHS


Patent NO: CN215933904U, CN216251536U



<u>9.3mm</u>	Ø84mm
1	
1.2mm	
10~45mm	
~	
	Ø94mm

STP-2 / 4 modules unit





POWER MODULES • - -

International modules customization options:



USB POWER MODULES





DATA AND MULTIMEDIA MODULES



*For more details on modules configuration, please contact our sales representatives.



STP-2CS-3Qi

Model	Surface Panel Material	Module Capacity	Cutout(mm)
STP-2CS-1Qi	Tempered glass	2	Ø95
STP-2CS-2Qi	Tempered glass	4	Ø95
STP-2CS-3Qi	Tempered glass	6	Ø95
STP-2CS-4Qi	Tempered glass	8	Ø95
STP-2CS-5Qi	Tempered glass	10	Ø95

With various top covers for option:







Black tempered glass top cover Silver 304 stainless steel collar ring



Silver tempered glass top cover Silver 304 stainless steel collar ring





SURFACE MOUNT POP-UP OUTLET



STP-2 Series



STP-2CS-1Qi







STP-2CS-2Qi



STP-2CS-3Qi

Silver tempered glass top cover / silver enclosure / silver 304 stainless steel collar ring / black finish modules



MOTORIZED POP UP UNIT

Suitable for installation within:

Features

SMT SERIES MOTORIZED POP UP UNIT

Today's modern workspaces demand advanced functionality and aesthetic appearance. Our SMT series motorized pop-up unit enables you to achieve these contemporary features, embodying a unique blend of practical functions and modern-inspired design.

Not only will your workspace become more productive and better connected with this incredible addition, but it will also feel ingenious and stylish thanks to the elegant weathered finish and sturdy character.



....

Meeting Rooms















Bedroom



The flashing LED light enhances the socket top center when the unit is in motion creating a seamless blend to its simplistic & impressive design.





When not in use, the sleek top cover sits flush with the tabletop surface for a discreet and tidy appearance.







IP54 Weatherproof protection:

When in closed position, IP54 seal provides almost complete protection from particles and a good level of protection against water (available in WP version).



15W wireless charging:

Wireless-charging top allows you to power Qi-enabled devices by simply placing it directly on the pad.

Anti-Force mechanism:

If the unit encounters an obstruction during a raise operation, the anti-force function will activate, and the unit will be paused in the current position.

Anti-Trap safety mechanism:

If the unit is obstructed during lowering operation, the anti-trap safety function will reverse the direction of the travel path, and the unit will raise slightly and pause.

MOTORIZED POP UP UNIT

SMT-4 Series Waterproof Type





SMT-4B/2+WP

SMT-4B/3+WP

SMT-4B/4+WP

Model	Surface Panel Material	Module Capacity	Cutout(mm)
SMT-4B/2+WP	Tempered glass	4	Ø95
SMT-4B/3+WP	Tempered glass	6	Ø95
SMT-4B/4+WP	Tempered glass	8	Ø95

Black tempered glass top cover / black enclosure / black 304 stainless steel collar ring / black finish modules



•
SMT-4S/4+WP

Model	Surface Panel Material	Module Capacity	Cutout(mm)
SMT-4S/2+WP	Tempered glass	4	Ø95
SMT-4S/3+WP	Tempered glass	6	Ø95
SMT-4S/4+WP	Tempered glass	8	Ø95

Silver tempered glass top cover / silver enclosure / silver 304 stainless steel collar ring / black finish modules

Features

IP54(in closed status) Wireless charging: output 15W max


Approval: CE, UKCA, RoHS

Patent NO: CN213212473U (not applicable for SMT-4B-WP)



8 SMT-4/2+WP







International modules customization options:

POWER MODULES

MOTORIZED POP UP UNIT

SMT-4 Series Ultra-slim Type



USB POWER MODULES

* ÷00° Ö.
 TYPE A+A
 TYPE A+C
 TYPE A
 TYPE C
 TYPE A+C

 21W
 21W
 QC 3.0
 PD, QC 3.0
 PD, QC 3.0
 PD, QC 3.0

 20W
 20W
 20W
 30W





*For more details on modules configuration, please contact our sales representatives.


.

SMT-4/2

SMT-4B/2

Model	Surface Panel Material	Module Capacity	Cutout(mm)
SMT-4B/2	Tempered glass	4	Ø95
SMT-4B/3	Tempered glass	6	Ø95
SMT-4B/4	Tempered glass	8	Ø95
Black tempered glass top co	ver / black enclosure / black 3	804 stainless steel collar ring	black finish modules







SMT-4S/2

Model	Surface Panel Material	Module Capacity	Cutout(mm)
SMT-4S/2	Tempered glass	4	Ø95
SMT-4S/3	Tempered glass	6	Ø95
SMT-4S/4	Tempered glass	8	Ø95
Silver tempered glass to	op cover / silver enclosure / silver (304 stainless steel collar	ring / black finish modules

SMT-4/4



SMT-4B/3



SMT-4B/4



SMT-4S/3



SMT-4S/4

STS SERIES DESKTOP BOXES

We offer various types of desktop sockets providing safe and convenient access to connections such as Power, USB, Data and Multimedia. Instead of running several different cables across your floor, which is a messy trip hazard just waiting to happen, you can bring that connectivity directly to your desk, minimizing all that cable clutters.



Suitable for installation within:

Features

•

TYPE A+C 2.1A/4.2A

HDMI

 (\cdot)

TYPE A+A 2.1A / 4.2A

.

- -



<u>÷0</u> ••• •••

Kitchen

Library

....

ΕŤ



 $\overset{\sim}{\overset{\sim}{\overset{\sim}{\overset{\sim}}}}$





Bedroom











DESKTOP BOXES



Wide compatibility Extensive range of modules option. *The modules shown do not represent all, please consult our sales representative for more modules. information.

 Quick and Simple installation Easy to install, saves time and efforts.




Suitable for different applications:

Depending on each working environment, our desktop sockets fill different places in the delicate desk ecosystem.

22.5×45mm

 Customizable with various configuration:

Provides expanded and customizable modules configuration according to different needs.





Features

Wireless Charging: Output 15W max Capacitive touch control switch Smart device control

Except for the Black and White, the MOQ is 200 pcs.

Approval: CE, RoHS Patent NO: CN304998141S




15W Wireless Charging top allows you to power Qi-enabled devices by simply placing it directly on the pad.



Integrated with Tuya module to remotely control the plugged-in devices from anywhere via mobile APP.



Most of the office desks are equipped with a Ø60mm or Ø80mm grommet hole. Therefore, this product eliminates the hassle of an extra opening for mounting.





Ø60mm type

Ø80mm type

Features


STS-R90 F(4.2A)/(2.1A)

Module capacity: 1 type 45 module +1 dual port USB charger

STS-R90 USA(4.2A)/(2.1A)

Module capacity: 2 US socket modules +1 dual port USB charger












*IEC Power Inlet available on request.

STS-R90 F

GST Power Inlet





Model STS-R90 W F(4.2A) White STS-R90 B F(4.2A) Black STS-R90 W US(4.2A) White STS-R90 B US(4.2A) Black STS-R90 W F(2.1A) White STS-R90 B F(2.1A) Black STS-R90 W US(2.1A) White STS-R90 B US(2.1A) Black

DESKTOP BOXES

STS-R90 Series

Material	USB Output	Cutout(mm)
PC	5V/4.2A	Ø80
PC	5V/2.1A	Ø80

Features



Suitable for installation within:





Drawing Room



Bedroom

... ...

1xDual port type A+C USB charger

Features

STS-R90-2

Available power connection type: IEC power inlet, GST power inlet,





Model	Color
STS-R90-2 W	White
STS-R90-2 B	Black
STS-R90-2 W-US	White
STS-R90-2 B-US	Black



Intelligent charging:

Small but powerful:

USB ports adapt to the charging capabilities of your connected devices and provides the optimal charging current.




Easy to install:

Fits easily and can be mounted on Ø80mm circular grommet hole, making installation quick and simple.






IEC Power Inlet







Pre-wired Power Cable

DESKTOP BOXES

STS-R90-2 Series

1xType 45 series power module + 1xDual port type A+C USB charger STS-R90-2-US 2xUS power module + USB output: 10.5W for single; 21W for total

Pre-wired power cable with preferred plug

Approval: CE, RoHS, REACH (not applicable for STS-R90-2-US)
















 \bigcirc



Avoid wire tangles and easily charge your devices right on your desktop with this compact flush mount power grommet. Integrated with a dual port USB A+C charger with a total power output of 21W (max) and a customizable power module, providing a convenient in-desk power and charging solution. Ideal for use for on desks, tables, and benches with rear access.

Library



STS-R90-2 W





STS-R90-2 B



STS-R90-2 B-US

STS-R90-2 W-US

Material	USB Output	Cutout(mm)
PC	5V/4.2A	Ø80



Features



15W wireless charging:

The surface top delivers up to 15W of wireless power to charger your Qi-enabled phones by simply placing it directly on the pad.



Suitable for installation within:



Drawing Room Coffee Shop



Library











Bedroom



Features

DESKTOP BOXES

STS-R90-3 Series

Configuration: Wireless charging + Dual port type A+C USB charger

Wireless charging: Output 15W max

USB output: 10.5W for single; 21W for total

Available power connection type: GST power inlet, Pre-wired power cable with preferred plug

Approval: CE, RoHS, REACH

Patent NO: CN307159215S



Model	Color
STS-R90-3 W	White
STS-R90-3 B	Black



Small but powerful:

Avoid wire tangles and easily charge your devices right on your desktop with this compact in-desk charging solution. Integrated with a dual port USB A+C charger with a total power output of 21W(max), making it particularly suitable for work tops with limited space or where restricted to pre-cut Ø80mm grommet boles holes.



Intelligent charging:

USB ports adapt to the charging capabilities of your connected devices and provides the optimal charging current.




Easy to install:

Fits easily and can be mounted on Ø80mm circular grommet hole, making installation quick and simple.


























STS-R90-3 W

STS-R90-3 B

Material	USB Output	Wireless charging	Cutout(mm)
PC	5V/4.2A	15W max	Ø80
PC	5V/4.2A	15W max	Ø80



Features











Suitable for installation within:



Office Lounge

 $\overset{\circledast}{\underline{\checkmark}}$

---Library

Stylish & discreet appearance

Smooth sliding lid operation

15W wireless charging

Customizable length

Magnetic lock







Bedroom




Slide open the lid to access the power outlets. Slide back the lid to conceal the power outlets when not in use.

<u> </u>	
	


Color Black White Silver

Wireless Charging

Place the device gently on the top of cover and charge, compatible with all Qi enabled devices. Make sure the center of the device is aligned over the center of the charging base.







DESKTOP BOXES

STS-SC01-Qi Series Wireless charging: Output 15W max

Power cable length: 2 meters (Customizable) Approval: CE, RoHS, REACH

Features







 \bigcirc





Drawing Room





STS-SC01B-Qi



 \bigcirc



STS-SC01S-Qi

Material	*Module Capacity	Cutout(mm)
Aluminum alloy+PVC	4	237x77
Aluminum alloy+PVC	4	237x77
Aluminum alloy+PVC	4	237x77

*Can be customized as per desired modules requirement



*Can be customized as per desired modules requirement

			Features
1	0	1 0	Constructed wit anodized alumir ensuring a long
	•		Equipped with s mount on the ur
B-3	STS-HG60S-1+G	STS-HG60B-1+G	Module capacity
	STS-F	1G60B-4	
	STS-H	IG60B-2+G	Power cable with preferred plug
			17mm 102mm 17m
	STS-H	IG60B-5	
		0	STS-HG60-2
	STS-H	IG60B-3+G	17mm 147mm
		00	
	STS-H	IG60B-6	
			17mm 192mm
ial	*Module Capacity	IG60B-4+G Application	
num+PC	4	Desktop, Workstation	STS-HG60-4 /
num+PC	4	Desktop, Workstation	17mm 237m
ium+PC	6	Desktop, Workstation	
num+PC num+PC	6	Desktop, Workstation	
ium+PC ium+PC	8	Desktop, Workstation Desktop, Workstation	
ium+PC	10	Desktop, Workstation	
num+PC	10	Desktop, Workstation	
num+PC	12	Desktop, Workstation	STS-HG60-5 /
num+PC	12	Desktop, Workstation	47
num+PC	2	Desktop, Workstation	17mm 2
num+PC	2	Desktop, Workstation	
num+PC	4	Desktop, Workstation	
num+PC	4	Desktop, Workstation	·
num+PC	6	Desktop, Workstation	

ith sleek and durable inum alloy enclosure, ger product lifespan.


side brackets to easily underside of your desk.


ity: can be customized




GST power inlet







STS-HG60-2+G





*These dimensions are not applicable to units with 13A UK type modules and 16A South African SANS 164-1 type modules. For more details, please contact our sales representative

Features

Quick and easy installation.

The unit can be supplied with GST connectors or pre-wired power cord, as per user's requirement.

Constructed with sleek and durable anodized aluminum alloy enclosure, ensuring a longer product lifespan.

Module capacity: can be customized



Power cable with preferred plug


















STS-P60-6 / STS-P60-4+G *These dimensions are not applicable to units with 13A UK type modules and 16A South

African SANS 164-1 type modules. For more details, please contact our sales representati







DESKTOP BOXES

*Can be customized as per desired modules requirement

STS-ST60 Series



STS-ST60S-3



STS-ST60S-4



STS-ST60S-5



STS-ST60S-1+G



STS-ST60S-2+G



STS-ST60S-3+G

STS-ST60S-3+G			STS-ST60B-3+G	
Model	Color	Material	*Module Capacity	Cutout(mm)
STS-ST60S-3	Silver	Aluminum+PC	6	151x63
STS-ST60B-3	Black	Aluminum+PC	6	151x63
STS-ST60S-4	Silver	Aluminum+PC	8	196x63
STS-ST60B-4	Black	Aluminum+PC	8	196x63
STS-ST60S-5	Silver	Aluminum+PC	10	241x63
STS-ST60B-5	Black	Aluminum+PC	10	241x63
STS-ST60S-1+G	Silver	Aluminum+PC	2	160x63
STS-ST60B-1+G	Black	Aluminum+PC	2	160x63
STS-ST60S-2+G	Silver	Aluminum+PC	4	205x63
STS-ST60B-2+G	Black	Aluminum+PC	4	205x63
STS-ST60S-3+G	Silver	Aluminum+PC	6	250x63
STS-ST60B-3+G	Black	Aluminum+PC	6	250x63

*Can be customized as per desired modules requirement

Features

STS-ST60B-3

STS-ST60B-4

STS-ST60B-5

STS-ST60B-1+G

STS-ST60B-2+G


Constructed with sleek and durable anodized aluminum alloy enclosure, ensuring a longer product lifespan.

Quick and easy installation

The unit can be supplied with GST connectors or pre-wired power cord, as per user's requirement.

Module capacity: can be customized












STS-ST60-4 / STS-ST60-2+G



STS-ST60-5 / STS-ST60-3+G

*These dimensions are not applicable to units with 13A UK type modules and 16A South African SANS 164-1 type modules. For more details, please contact our sales representative.



Features

Constructed with sleek and durable anodized aluminum alloy enclosure, ensuring a longer product lifespan.

Easily clamp mounts on the edge of desk with thickness range: 5-50mm. No tools required.

Module capacity: can be customized

Patent NO: CN307384056S


DESKTOP BOXES


STS-C60 Series





Power cable with preferred plug













STS-C60-5





nsions are not applicable to units African SANS 164-1 type modules. For more details, please contact our sales representativ



Model	Color	Material	*Module Capacity	Application
STS-C60S-2	Silver	Aluminum+PC	4	Desktop, Workstation
STS-C60B-2	Black	Aluminum+PC	4	Desktop, Workstation
STS-C60S-3	Silver	Aluminum+PC	6	Desktop, Workstation
STS-C60B-3	Black	Aluminum+PC	6	Desktop, Workstation
STS-C60S-4	Silver	Aluminum+PC	8	Desktop, Workstation
STS-C60B-4	Black	Aluminum+PC	8	Desktop, Workstation
STS-C60S-5	Silver	Aluminum+PC	10	Desktop, Workstation
STS-C60B-5	Black	Aluminum+PC	10	Desktop, Workstation
STS-C60S-6	Silver	Aluminum+PC	12	Desktop, Workstation
STS-C60B-6	Black	Aluminum+PC	12	Desktop, Workstation

*Can be customized as per desired modules requirement







STS-C60S-2



STS-C60S-3



STS-C60S-4



STS-C60S-5

STS-C60S-6



STS-C60B-2



STS-C60B-3



STS-C60B-4



STS-C60B-5



STS-C60B-6

STS-250 Series



STS-250 W



STS-250 B





STS-212 Series



STS-212 S



STS-212 B

Model	Color	Material	Module Capacity	Cutout(mm)
STS-212 S	Silver	Aluminum	2 power+3 Type 120 modules	225x112
STS-212 B	Black	Aluminum	2 power+3 Type 120 modules	225x112


Features

With super slim aluminum alloy profile which sits nearly flush with worktop for a discreet and tidy appearance.

Quick and easy installation.




Equipped with black brush strip which prevents dust infiltration and allows plugged-in cables to exit the lid whilst in the closed position.



Features


With soft pop up mechanism Steel material base box Approval: CE, RoHS




Features

With soft pop up mechanism

ABS base box










Model Color STS-202/S Silver STS-202/B Black STS-202/W White

Features With soft pop up mechanism ABS base box







DESKTOP BOXES

STS-202 Series


*Can be customized as per desired modules requirement STS-207 Series





STS-207/W

Model	Color
STS-207/S	Silver
STS-207/B	Black
STS-207/W	White
*Can be customized a	as per desir







STS-202/S



STS-202/W

Material	*Module Capacity	Cutout(mm)
Aluminum alloy+ABS	6	230x110
Aluminum alloy+ABS	6	230x110
Aluminum alloy+ABS	6	230x110



STS-207/S

STS-207/B

	Material	*Module Capacity	Cutout(mm)
	Aluminum alloy+ABS	4	145x110
	Aluminum alloy+ABS	4	145x110
	Aluminum alloy+ABS	4	145x110
od modulos r	auiromont		

STS-150D Series



STS-150D/2 S



STS-150D/2 B



STS-150D/3 S



STS-150D/3 B


Model	Color	Material	Module Capacity	Cutout(mm)
STS-150D/2 S	Silver	Aluminum	8	315x135
STS-150D/2 B	Black	Aluminum	8	315x135
STS-150D/3 S	Silver	Aluminum	12	442x135
STS-150D/3 B	Black	Aluminum	12	442x135



STS-150D/2

Features


Quick and easy installation



Double-sided cover opening with damped hinge mechanism



STS-150D/3







Flush-mount flip-up box

Features


With soft close mechanism

DESKTOP BOXES

STS-120 Series








a second	

STS-120/2



Model	Color
STS-120/1 S	Silver
STS-120/1 B	Black
STS-120/2 S	Silver
STS-120/2 B	Black

STS-220 Series

Features

STS-220/1

143.9mm

STS-220/2

270 9n

With soft close mechanism

Flush-mount flip-up box

56.4mm

Approval: RoHS



Model	Color
STS-220/1 S	Silver
STS-220/1 B	Black
STS-220/2 S	Silver
STS-220/2 B	Black





STS-120/1 S







STS-120/1 B



STS-120/2 B

Material	Module Capacity	Cutout(mm)
Aluminum	4	160x104
Aluminum	4	160x104
Aluminum	8	284x104
Aluminum	8	284x104

STS-220/1 S



STS-220/1 B



STS-220/2 S



Material	Module Capacity	Cutout(mm)
Aluminum	4	153x92
Aluminum	4	153x92
Aluminum	8	281x92
Aluminum	8	281x92

STC SERIES USB TABLE CHARGERS

We offer a range of unique and contemporary USB table chargers with fast charging technology, that can make sure your devices stay fully charged and powered up in shortest possible time. Suitable for flexible workspace design.





Features





Compact design:

Safety Protection:

little extra piece of mind.

Cable pass through grommet:

space contributing to a neat appearance.

Featuring a USB-C PD port and a Qualcomm Quick Charge 3.0 port, to quickly charge up to 2 of your devices at a time (max up to 105W).

Features a compact & minimalist round

design that includes a sleek construction,

and LED power indicator which will light

up in quick charging mode for each port.









Universal Compatibility:

With optimized charging technology, both the featured USB ports can connect with most of the compatible devices including smartphones, tablets and laptops.



Suitable for installation within:



Lounae



Coffee Shop Drawing Room



Library



Bedroom



ied with 20W fast charging adapter Equipped with built-in safety measures that prevent overcharging and overheating for a

US pin EU pin



SFC-2 Supplied with 65W GaN fast charging adapter Plug type: Collapsible Available AC plug adapter options: US pin The integrated cable pass through grommet eliminates cable clutters and maximizes desk



SEC-3 Supplied with 105W GaN fast charging adapter Plug type: Collapsible Available AC plug adapter options: US, EU, UK and AU (the adapter has 3 USB ports: 1*USB-A and 2*USB-C,



Features

Single output:

• Output C port:

Single output:

Both output:

• Both output: 5V/3.5A Max

• Output A port: 5V/2.4A Max

20W. 65W. 105W options available

STC-1W/C20, STC-1B/C20

C port(PD3.0): 5V/3A, 9V/2.22A, 12V/1.67A

A port(QC3.0/2.0): 5V/3A, 9V/2A, 12V/1.5A

STC-1W/C65, STC-1B/C65

5V/2.4A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A(45W)

STC-1W/C105, STC-1B/C105

1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A

1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A

5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/4.35A

2. C1 port(PD3.0/PPS/QC4+): 5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/5A

3. C2 port(PD3.0): 5V/2.4A, 9V/2A 4. A port(QC3.0/FCP/AFC): 5V/3A, 9V/2A

2. C1 port(PD3.0/PPS/QC4+):

3. C2 & A port: 5V/3.5A Max


1. QC2.0/3.0/AFC: 5V/3A, 9V/3A, 12V/3A 2. PD/PPS/QC4(when C port single output): 5V/2.4A, 9V/3A, 12V/3A, 15V/4A, 20V/3.25A(65W) PD/PPS/QC4(when C & A port both output):

STC-1 Series



Model	Color
STC-1W/C20	White
STC-1B/C20	Black
STC-1W/C65	White
STC-1B/C65	Black
STC-1W/C105	White
STC-1B/C105	Black







The office desk has its own opening, most of which are 50~60mm, saving the steps of opening.

Charging adapter options







USB TABLE CHARGER



- STC-1W/C20
- STC-1W/C65
- STC-1W/C105



STC-1B/C20 STC-1B/C65 STC-1B/C105

Material	Input	Cutout(mm)
PC	100-240V AC 0.5A	Ø50~60
PC	100-240V AC 0.5A	Ø50~60
PC	100-240V AC 1.6A	Ø50~60
PC	100-240V AC 1.6A	Ø50~60
PC	100-240V AC 2.6A	Ø50~60
PC	100-240V AC 2.6A	Ø50~60



Features





Featuring a USB-C PD port and a Qualcomm







Dust Cover

iOS / Apple Devices Android / Google Devices

Unique design:

for each port.

Quick Charge 3.0 port, to quickly charge up to 2 of your devices at a time (max up to 105W).



... ...



Suitable for installation within:

Ē

Office

 $\overset{\circledast}{\underline{\smile}}$

Coffee Shop

ied with 20W fast charging adapter Plug type: Collapsible Available AC plug adapter options: US and EU



SFC-2 Supplied with 65W GaN fast charging adapter Plug type: Collapsible Available AC plug adapter options: US pin Equipped with dust covers to protect unused



SEC-3 Supplied with 105W GaN fast charging adapter Plug type: Collapsible Available AC plug adapter options: US, EU, UK and AU (the adapter has 3 USB ports: 1*USB-A and 2*USB-C,



Features

20W. 65W. 105W options available

STC-2 Series



Model Color STC-2W/C20 White STC-2B/C20 Black STC-2W/C65 White STC-2B/C65 Black STC-2W/C105 White STC-2B/C105 Black

STC-2W/C65, STC-2B/C65

STC-2W/C20, STC-2B/C20

C port(PD3.0): 5V/3A, 9V/2.22A, 12V/1.67A

A port(QC3.0/2.0): 5V/3A, 9V/2A, 12V/1.5A

Single output:

• Both output: 5V/3.5A Max

• Output C port: 1. QC2.0/3.0/AFC: 5V/3A, 9V/3A, 12V/3A

2. PD/PPS/QC4(when C port single output):

5V/2.4A, 9V/3A, 12V/3A, 15V/4A, 20V/3.25A(65W) PD/PPS/QC4(when C & A port both output):

5V/2.4A. 9V/3A. 12V/3A. 15V/3A. 20V/2.25A(45W) • Output A port: 5V/2.4A Max

STC-2W/C105, STC-2B/C105

Single output:

- 1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A 2. C1 port(PD3.0/PPS/QC4+):
- 5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/5A
- 3. C2 port(PD3.0): 5V/2.4A, 9V/2A

4. A port(QC3.0/FCP/AFC): 5V/3A, 9V/2A

- •Both output:
- . 1. C1 port(QC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A

55mm

- 2. C1 port(PD3.0/PPS/QC4+): 5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/4.35A
- 3. C2 & A port: 5V/3.5A Max





With optimized charging technology, both the featured USB ports can connect with most of the compatible devices including smartphones, tablets and laptops.

Universal Compatibility:

Protective Dust Cover:

USB ports from dust and moisture.



















Library Bedroom

Lounae

间

Drawing Room

USB TABLE CHARGER



STC-2W/C20 STC-2W/C65 STC-2W/C105





STC-2B/C20 STC-2B/C65 STC-2B/C105

	-	
Material	Input	Application
PC	100-240V AC 0.5A	Table
PC	100-240V AC 0.5A	Table
PC	100-240V AC 1.6A	Table
PC	100-240V AC 1.6A	Table
PC	100-240V AC 2.6A	Table
PC	100-240V AC 2.6A	Table



Features





Power up your smart gadgets with this retractable ultra-compact design charging station. Featuring dual USB-A ports and a single USB-C port, this unit supports the mainstream fast charging PD & QC 3.0 protocols with total power output of 42W (max), providing safe and efficient charging for smartphones, tablets, and other devices.

Charge up to three devices simultaneously from the comfort of your sofa, desk, or bed without having to rely on messy-looking

*Refer to the specifications chart

Power where you need it:






Intelligent charging:

extension cords.

USB ports adapt to the charging capabilities of your connected devices and provides the optimal charging current.



Dermatoglyph finish

Glossy finish

Easy to install:

Fits easily and can be mounted on Ø50mm-Ø60mm circular grommet hole, making installation quick and simple.





Ě Office Lounae

Suitable for installation within:













... ...



Features

• USB-A1: 5V/3A,9V/3A,12V/2.5A,20V/1.5A (QC3.0, 30W Max)

• USB-A2: 5V/3A,9V/3A,12V/2.5A (QC3.0, 30W Max)

- USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (PD QC3.0, 30W Max)
- USB-A1+USB-A2: 30W+12W (42W Max) (QC3.0+QC3.0)
- USB-A1+USB-C: 12W+12W (24W Max) (BC1.2) • USB-A2+USB-C: 12W+30W (36W Max) (QC3.0+PD)
- USB-A1+USB-A2+USB-C: 12W+18W+12W (42W Max) (BC1.2+QC3.0+BC1.2)




STC-4 Series





STC-4W

Model	Color
STC-4MW	White
STC-4MB	Black
STC-4W	White
STC-4B	Black





Clean look:

With this unit, you can be sure of creating your desired contemporary and sophisticated look in your home or office: choose between glossy and dermatoglyph finish (white or black). In addition, customized color trends are available on request, to meet your design requirements.





USB TABLE CHARGER



STC-4MW





Material	Surface	Cutout(mm)
PC	Dermatoglyph finish	Ø50~60
PC	Dermatoglyph finish	Ø50~60
PC	Glossy finish	Ø50~60
PC	Glossy finish	Ø50~60



STC-5 Series



STC-5W/C20 STC-5W/C65 STC-5W/C105



STC-5B/C20

STC-5B/C65


STC-5B/C105

Model	Color	Material	Input	Cutout(mm)
STC-5W/C20	White	PC	100-240V AC 0.5A	54x16
STC-5B/C20	Black	PC	100-240V AC 0.5A	54x16
STC-5W/C65	White	PC	100-240V AC 1.6A	54x16
STC-5B/C65	Black	PC	100-240V AC 1.6A	54x16
STC-5W/C105	White	PC	100-240V AC 2.6A	54x16
STC-5B/C105	Black	PC	100-240V AC 2.6A	54x16



Features

20W, 65W, 105W options available



• Single output: C port(PD3.0): 5V/3A, 9V/2.22A, 12V/1.67A A port(QC3.0/2.0): 5V/3A, 9V/2A, 12V/1.5A • Both output: 5V/3.5A Max

STC-5W/C65, STC-5B/C65

Output C port:
 1. QC2.0/3.0/4FC: 5V/3A, 9V/3A, 12V/3A
 2. PD/PFS/QC4(when C port single output):
 5V/2.4A, 9V/3A, 12V/3A, 15V/4A, 20V/3.25A(65W)
 PD/PFS/QC4(when C & A port both output):
 5V/2.4A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A(45W)
 •Output A port: 5V/2.4A Max

STC-5W/C105, STC-5B/C105

S1C-5W/C105, S1C-5B/C105 • Single output: 1. C1 port(OC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A 2. C1 port(PD3.0/PE/OC4+): 5V/2.4A, 9V/3A, 12V/3A, 15V/5A, 20V/5A 3. C2 port(PD3.0): 5V/2.4A, 9V/2A 4. A port(OC3.0/FCP/AFC): 5V/3A, 9V/2A • Both output: 1. C1 port(PC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A 2. C1 port(PC3.0/FCP/AFC): 5V/3A, 9V/3A, 12V/3A 3. C2 & A port: 5V/3.5A Max

Charging adapter options




SFC-1 Supplied with 20W fast charging adapter Plug type: Collapsible Available AC plug adapter options: US and EU



SFC-2 Supplied with 65W GaN fast charging adapter Plug type: Collapsible Available AC plug adapter options: US pin



SFC-3 Supplied with 105W GaN fast charging adapter Plug type: Collapsible Available AC plug adapter options: US, EU, UK and AU (the adapter has 3 USB ports: 1*USB-A and 2*USB-C, termed as A, C1 and C2 respectively in the output parameters below.)



Suitable for installation within:

i T

Features

Type C x1





Coffee Shop Drawing Room



....



Bedroom












Black







Power up your smart gadgets with this retractable ultra-compact design multi charging station. Featuring a single USB-A port and USB-C port, this unit supports the mainstream fast charging PD & QC 3.0 protocols with total power output of 38W (max), providing safe and efficient charging for smartphones, tablets, and other devices.

15W wireless charging:

The surface top delivers up to 15W of wireless power to charger your Qi-enabled phones by simply placing it directly on the pad.

Ultra-slim profile:

The cover panel in fully retracted position, lies nearly flush with the worktop, making it blending with the surrounding environment.

Easy to install:

Fits easily and can be mounted on Ø60mm circular grommet hole, making installation quick and simple.



Aesthetic appeal:

With this unit, you can be sure of creating your desired contemporary and sophisticated look in your home or office. In addition, customized color trends are available on request, to meet your design requirements.

STC-6 Series





STC-6MB

Features

Supplied with 24V3A adapter

• USB-A: 5V/3A, 9V/2A, 12V/1.5A (QC3.0, 18W Max)


- USB-C: 5V/3A, 9V/2.22A, 12V/1.67A (PD QC3.0, 20W Max)
- USB-A+USB-C: 18W+20W (38W Max)
- USB-A+Wireless: 18W+15W (33W Max)
- USB-C+Wireless: 20W+15W (35W Max)
- USB-A+USB-C+Wireless: 18W+20W+15W (53W Max)

SCD SERIES UNDER-DESK SPINAL CABLE DUCT


Our SCD series under-desk spinal cable duct is a great way to keep all of your cables grouped together. They are designed to vertically follow the movement of any height-adjustable desks or regular fixed height desks and provide a protective cover to your cables, preventing them from getting damaged.

Along with cable protection, it also makes your workstation aesthetically pleasing.

Model	Color	Material	Surface	Cutout(mm)
STC-6MW	White	PC	Dermatoglyph finish	Ø60
STC-6MB	Black	PC	Dermatoglyph finish	Ø60












UNDER DESK SPINAL CABLE DUCT


SCD-1 Series






Model Colo		rial
SCD-1/S Silver	ABS	
SCD-1/B Black	ABS	
SCD-1/W White	ABS	

SCD-2 Series






11

SCD-2/W







SCD-3 Series

Model SCD-3/S SCD-3/B SCD-3/W

Features

- •Practical way to keep your cables neat and tidy.
- •Snap-together interlink blocks with base plate and top hooking element to screw under top surface.
- •Routes cables from desk to floor.

•Quickly insert and remove cables inside guide.

·Easy installation underneath a desk.





Model	Color	Material
SCD-2/S	Silver	ABS
SCD-2/B	Black	ABS
SCD-2/W	White	ABS

UNDER DESK SPINAL CABLE DUCT



Color	Material
Silver	ABS
Black	ABS
White	ABS